	Application No.	Applicant(s)
	'	
Notice of Allowability	09/437,560 Examiner	KURLANDER ET AL.
·		
	Namitha Pillai	2173
The MAILING DATE of this communication approached All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85; NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in t) or other appropriate commun IGHTS. This application is su	his application. If not included ication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>the submission filed</u>	<u>on 10/5/05</u> .	
2. The allowed claim(s) is/are 14-22 and 26-37.		
3. ☐ Acknowledgment is made of a claim for foreign priority uses a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have	e been received.	
2. Certified copies of the priority documents have	* *	
 Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	cuments have been received i	n this national stage application from the
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date 	son's Patent Drawing Review (PTO-948) attached
(b) including changes required by the attached Examiner' Paper No./Mail Date		n the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOL	RIAL must be submitted. Note the OGICAL MATERIAL.
Attachment(s)	E Mation of Info	recol Detect Application (DTO 450)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		rmal Patent Application (PTO-152)
Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./M	ail Date mendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		\sim 1)
of Biological Material	_	tatement of Reasons for Allowance
	9. ☐ Other	RAYMOND J. BAYERL
		PRIMARY EXAMINER
		ART LIMIT 2173

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: the status of the referenced U. S. applications has been updated under the section "Cross reference to related Application". The updated phrase has been amended to, "The present application is a continuation of U.S. Patent Application Ser. No. 08/583,589, filed January 5, 1996, and entitled METHOD AND SYSTEM FOR GENERATING USER-INTERFACE OUTPUT SEQUENCES, now abandoned."

Response to Amendment

2. The Examiner acknowledges Applicant's submission on 10/5/05, including amendments to the set of claims, wherein claims 38-47 have been cancelled. All pending claims have been allowed.

Conclusion

3. Responses to this action should be submitted as per the options cited below: The United States Patent and Trademark Office requires most patent related correspondence to be: a) faxed to the Central Fax number (571-273-8300) b) hand carried or delivered to the Customer Service Window (located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), c) mailed to the mailing address set forth in

Application/Control Number: 09/437,560 Page 3

Art Unit: 2173

37 CFR 1 . 1 (e.g., P.O. Box 1450, Alexandria, VA 22313-1450), or d) transmitted to the Office using the Office's Electronic Filing System.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Namitha Pillai whose telephone number is 571-272-4054. The examiner can normally be reached on 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca can be reached on 571-272-4048. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Namitha Pillai Assistant Examiner Art Unit 2173 November 27, 2005

> RAYMOND J. BAYERL PRIMARY EXAMINER ART UNIT 2173